

Biotin-11-dUTP

http://hk.lumiprobe.com/p/biotin-11-dutp

Biotinylated deoxyuridine triphosphate (dUTP) can be used for DNA labeling using various methods, including Nicktranslation and 3'-terminal non-radioactive labeling. Generated probes can be used in various hybridization experiments such as Southern blot, Northern blot, dot blot, or FISH. Biotin-labeled probes are detected with horseradish peroxidaseconjugated streptavidin or other biomolecule conjugates binding biotin.

«11» in the compound name indicates the length of the linker between dUTP and biotin; this linker increases the efficiency of labeled dUTP incorporation into DNA and interaction of biotin with specific proteins such as avidin/streptavidin or antibiotin antibodies.



外观:

分子 878.54 量:

☆子 C₂₈H₄₀N₆Li₃O₁₇P₃S 式:

式: IUPAC ((2R,35,5R)-5-(2,4-dioxo-5-(3-(6-(5-((3a5,45,6aR)-2-oxohexahydro-1H-thieno[3,4-d]imidazol-4-yl)pentanamido)perop-1-yn-1-yl)-3,4-dihydropyrimidin-1(2H)-yl)-3-hydroxytetrahydrofuran-2-yl)methyl

名称: hydrogen triphosphate 溶解 度:

质量 控制:

储存

条件:

法律 本產品僅供研究目的提供和銷售。本產品並未經過食品、藥品、醫療器械、化妝品等領域的安全性和效力測試,且未經明示或暗示授權用於其他任何用途,包括但不限於體外診斷、人類或動物用途,以及商業用途。 声明·