

Lumiprobe Corporation

115 Airport Dr Suite 160 Westminster, Maryland 21157

美國

手機: +1 888 973 6353 傳真: +1 888 973 6354

電子郵件: <u>order@lumiprobe.com</u>


RAPID DiO, lipophilic tracer


http://hk.lumiprobe.com/p/fast-di-o-lipophilic-tracer

RAPID DiO (also known as FAST DiO $^{\text{TM}}$ and Dilinoleyl DiO) is a cyanine dye with green fluorescence, an unsaturated analog of DiO (DiOC18(3)).

RAPID DiO is a lipophilic dye that labels cell membranes by inserting its two long hydrocarbon (C18 carbon) chains into the lipid bilayer. The dye is weakly fluorescent until incorporated into membranes. RAPID DiO diffuses laterally to stain the entire cell, allowing it to be used as an anterograde and retrograde tracer of neurons. In intact tissue, the dye does not transfer from labeled to unlabeled cells, but some transfer may occur when the membrane is disrupted, for example, after sectioning. RAPID DiO has about 50% faster migration kinetics than DiO.

RAPID DiO can be used with other tracers in dual-color studies, such as RAPID Dil.





外观:

分子量: 923.28

分子式: C₅₄H₇₇F₃N₂O₅S

质量控制:

储存条件:

法律声明: 本產品僅供研究目的提供和銷售。本產品並未經過食品、藥品、醫療器械、化妝品等領域的安全性和效

力測試,且未經明示或暗示授權用於其他任何用途,包括但不限於體外診斷、人類或動物用途,以及商

業用途。

激发/吸收极大值,纳米: 487 ε,摩尔吸光系数, cm⁻¹: 166000 发射极大值,纳米: 503 荧光量子产率: 0.1