

Melatonin-d3

<http://hk.lumiprobe.com/p/melatonin-d3>


Melatonin-d3 is a deuterium-labeled stable isotopic analogue of the main pineal gland hormone, used as standards in NMR spectroscopy and mass spectrometry.

Melatonin takes part in the regulation of sleep, the activity of the endocrine system, circulatory and immune systems, and its pronounced antioxidant effect is also known. Replacing hydrogen atoms with its stable isotope, deuterium, allows absorption, distribution and metabolism to be determined in vivo experiments [1]. The use of melatonin-d3 as a standard for mass spectrometry made it possible to accurately determine the melatonin content in biological fluids, such as blood plasma [2], urine [1], breast milk [3].

[1] Leone R.M. and Silman R.E. Melatonin can be differentially metabolized in the rat to produce N-acetylserotonin in addition to 6-hydroxy-melatonin. *Endocrinology*. 1984. 114(5). P.1825-1832.

[2] Zhao H., et al. A novel LC-MS/MS assay for the simultaneous determination of melatonin and its two major metabolites, 6-hydroxymelatonin and 6-sulfatoxymelatonin in dog plasma: Application to a pharmacokinetic study. *J Pharm Biomed Anal*. 2016. 117. P. 390-397.

[3] Jin W., et al. High-throughput quantitation of trace level melatonin in human milk by on-line enrichment liquid chromatography-tandem mass spectrometry. *Anal Chim Acta*. 2021. 1176:338764.



外观: 灰色固體

分子量: 235.30

CAS 编号: 90735-69-6

分子式: C₁₃H₁₃D₃N₂O₂

IUPAC 名称: N-(2-(5-methoxy-1H-indol-3-yl)ethyl)acetamide-2,2,2-d3

溶解度: 乙腈、二甲基亞砜

质量控制: NMR ¹H 和 HPLC-MS (95+ %, D: 98+ %)

储存条件: 收到後 -20°C 避光保存 24 個月。運輸: 室溫最多可保存3週。乾燥。

法律声明: 本產品僅供研究目的提供和銷售。本產品並未經過食品、藥品、醫療器械、化妝品等領域的安全性和效力測試, 且未經明示或暗示授權用於其他任何用途, 包括但不限於體外診斷、人類或動物用途, 以及商業用途。