

Lumiprobe Corporation

115 Airport Dr Suite 160 Westminster, Maryland 21157

美國

手機: +1 888 973 6353 傳真: +1 888 973 6354


電子郵件: order@lumiprobe.com


R6G NHS ester, 5-isomer

http://hk.lumiprobe.com/p/r6g-nhs-ester-5

Rhodamine 6G (R6G) is a xanthene dye of rhodamine series that has been used for the labeling of oligonucleotides and DNA for quite a long time. Just like other xanthenes, R6G comes as two isomers, 5- and 6-isomer. Even though their absorption and emission spectra are virtually indistinguishable, the isomers need to be separated to avoid separation of the labeled molecules during their purification, i.e. double HPLC peaks and double spots on electrophoresis.

This is an amine reactive NHS ester derived from a pure 5-isomer of R6G. Rhodamine 6G is very bright (even used as a quantum yield standard, yield 0.95). The dye is soluble in organic solvents, such as DMF, or DMSO. They can be used as cosolvents for the labeling reactions.





外观:

分子量: 555.58 分子式: C₃₁H₂₉N₃O₇

溶解度:

质量控制:

储存条件:

法律声明: 本產品僅供研究目的提供和銷售。本產品並未經過食品、藥品、醫療器械、化妝品等領域的安全性和效

力測試,且未經明示或暗示授權用於其他任何用途,包括但不限於體外診斷、人類或動物用途,以及商

業用途。

激发/吸收极大值,纳米:519

ε, 摩尔吸光系数, cm⁻¹: 116000

发射极大值,纳米: 546 荧光量子产率: 0.95 CF₂₆₀: 0.18 CF₂₈₀: 0.17